Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Adams Cty	589	85.4	0.2	7.0	0.2	0.2	7.1	0.0
Ashland	644	65.7	0.3	4.3	20.2	0.3	9.2	0.0
Barron	1,131	81.7	5.3	10.0	1.1	0.5	1.4	0.0
Bayfield C	364	55.5	0.5	3.3	36.8	0.3	3.6	0.0
Brown	6,946	40.7	6.8	34.0	6.0	6.4	6.0	0.0
Buffalo	301	89.7	0.3	8.6	0.0	0.3	1.0	0.0
Burnett	559	65.8	0.4	2.1	16.6	0.0	15.0	0.0
Calumet	706	63.2	3.3	22.1	0.0	9.1	2.4	0.0
Chippewa	1,371	91.2	0.3	2.6	0.2	1.3	4.4	0.0
Clark	790	67.1	0.6	29.9	0.1	0.1	2.2	0.0
Columbia	847	77.1	2.7	14.3	0.4	0.2	5.3	0.0
Crawford C	308	89.9	0.0	8.1	0.3	0.0	1.6	0.0
Dane	7,731	27.4	21.5	35.0	0.3	6.9	8.9	0.0
Dodge	1,389	69.0	0.7	26.1	0.1	0.4	3.7	0.1
Door	501	80.6	2.6	14.4	0.2	0.0	2.2	0.0
Douglas Ct	1,264	78.6	2.2	4.5	1.3	0.6	12.9	0.0
Dunn	887	79.4	0.6	7.3	0.1	9.5	3.2	0.0
Eau Claire	2,400	65.0	1.3	9.2	0.5	13.8	10.0	0.0
Florence	108	90.7	0.0	7.4	0.9	0.0	0.9	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	icial and Ethi	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Fond du La	2,132	60.9	3.5	25.0	0.0	3.9	6.6	0.0
Forest	355	65.4	0.0	5.1	13.8	0.0	15.8	0.0
Grant Cty	1,124	91.4	0.8	5.9	0.0	0.4	1.5	0.0
Green Cty	651	78.3	0.8	18.1	0.0	0.6	2.2	0.0
Green Lake	314	69.1	0.3	23.9	0.0	1.9	4.8	0.0
Iowa Cty	358	86.3	1.1	9.5	0.0	0.6	2.5	0.0
Iron Cty	108	86.1	0.0	7.4	2.8	0.0	3.7	0.0
Jackson	687	69.7	0.7	7.6	19.1	0.3	2.6	0.0
Jefferson	1,802	54.2	0.9	42.9	0.1	0.3	1.6	0.0
Juneau	791	88.1	0.8	6.1	0.1	0.4	4.6	0.0
Kenosha	4,433	35.8	16.9	39.5	0.3	0.5	6.9	0.0
Kewaunee	357	73.4	1.1	22.4	0.3	0.0	2.8	0.0
La Crosse	2,419	64.7	3.6	4.8	0.4	17.0	9.4	0.0
Lafayette	223	76.2	0.4	21.1	0.0	0.0	2.2	0.0
Langlade C	489	85.3	0.6	10.6	0.2	0.2	3.1	0.0
Lincoln Ct	464	89.0	0.4	5.2	0.6	0.0	4.7	0.0
Manitowoc	1,620	59.2	2.0	22.8	1.0	8.8	6.2	0.0
Marathon C	2,906	54.7	1.6	10.1	0.5	26.0	7.1	0.0
Marinette	1,010	93.4	0.2	3.8	0.5	0.0	2.2	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Marquette	262	75.2	0.4	21.8	0.0	0.0	2.7	0.0
Menominee	561	0.4	0.0	13.4	16.8	0.0	69.5	0.0
Milwaukee	39,352	11.5	47.1	32.7	0.2	4.4	3.9	0.0
Monroe	1,090	75.2	1.0	17.0	0.8	1.1	4.9	0.0
Oconto	684	91.7	0.3	4.8	0.1	0.4	2.6	0.0
Oneida	615	89.8	1.3	4.1	0.5	0.3	4.1	0.0
Outagamie	2,674	58.4	2.8	18.1	0.4	13.2	7.1	0.0
Ozaukee	520	75.2	3.5	13.8	0.0	1.5	6.0	0.0
Pepin	134	81.3	0.7	12.7	1.5	1.5	2.2	0.0
Pierce	719	85.8	1.0	6.5	0.4	0.1	6.1	0.0
Polk	1,031	91.6	0.1	4.5	0.5	0.1	3.3	0.0
Portage	1,243	68.5	0.4	13.4	0.0	15.0	2.7	0.0
Price	465	90.5	0.2	3.7	0.4	2.6	2.6	0.0
Racine Cou	5,447	27.2	24.8	39.2	0.1	0.5	8.3	0.0
Richland C	417	83.5	0.2	13.2	0.2	0.2	2.6	0.0
Rock	4,289	64.8	9.2	23.0	0.1	0.6	2.2	0.0
Rusk	402	88.8	1.2	4.5	0.2	0.5	4.7	0.0
Sauk	1,527	72.0	0.3	21.5	4.4	0.1	1.7	0.0
Sawyer	599	48.2	0.7	4.5	42.9	0.7	3.0	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Shawano	979	70.9	0.3	9.6	12.6	0.3	6.3	0.0
Sheboygan	2,482	45.4	1.8	27.5	0.1	19.6	5.6	0.0
St. Croix	1,192	81.2	0.9	9.4	0.4	1.8	6.2	0.0
Taylor	460	87.0	0.7	10.0	0.0	0.0	2.4	0.0
Trempealea	736	57.7	0.3	39.9	0.3	0.1	1.6	0.0
Vernon	736	85.2	0.5	9.5	0.1	0.4	4.2	0.0
Vilas	644	45.8	0.2	3.0	40.8	0.0	10.2	0.0
Walworth	2,125	46.6	0.9	48.1	0.3	0.6	3.4	0.0
Washburn	421	84.8	0.2	8.6	0.5	0.5	5.5	0.0
Washington	1,576	76.5	3.0	16.0	0.2	0.6	3.7	0.0
Waukesha	2,504	53.3	4.6	34.3	0.1	1.7	6.0	0.0
Waupaca	877	85.3	0.0	13.5	0.3	0.0	0.9	0.0
Waushara C	500	57.4	0.2	39.2	0.0	0.4	2.8	0.0
Winnebago	2,826	62.7	3.9	17.3	0.2	7.0	8.7	0.0
Wood	1,561	77.1	0.8	11.2	2.0	3.5	5.4	0.0
Wisconsin	132,729	45.0	18.2	25.1	1.6	4.7	5.5	0.0
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months						
	(3,4)	%	%	%						
Adams Cty	589	30.1	19.9	50.1						
Ashland	644	25.9	19.4	54.7						
Barron	1,131	38.6	19.0	42.4						
Bayfield C	364	26.6	22.0	51.4						
Brown	6,946	29.9	22.2	47.9						
Buffalo	301	32.9	18.3	48.8						
Burnett	559	30.2	19.0	50.8						
Calumet	706	27.9	22.9	49.2						
Chippewa	1,371	30.1	23.0	46.8						
Clark	790	32.9	19.2	47.8						
Columbia	847	35.9	19.8	44.3						
Crawford C	308	38.3	16.6	45.1						
Dane	7,731	35.4	19.6	45.0						
Dodge	1,389	33.9	21.0	45.1						
Door	501	33.3	19.8	46.9						
Douglas Ct	1,264	33.8	20.6	45.6						
Dunn	887	37.0	17.7	45.3						
Eau Claire	2,400	33.6	20.3	46.1						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution										
County	Number Included in Analysis (3.4)	Included in 0 - 11 Months		24 - 59 Months %						
Florence	108	28.7	% 25.0	46.3						
Fond du La	2,132	31.0	22.0	47.0						
Forest	355	32.7	18.3	49.0						
Grant Cty	1,124	35.9	19.0	45.1						
Green Cty	651	34.1	22.1	43.8						
Green Lake	314	39.8	19.4	40.8						
Iowa Cty	358	38.3	16.5	45.3						
Iron Cty	108	25.0	33.3	41.7						
Jackson	687	33.0	15.6	51.4						
Jefferson	1,802	33.0	20.9	46.1						
Juneau	791	32.4	18.5	49.2						
Kenosha	4,433	35.0	21.8	43.2						
Kewaunee	357	35.3	14.3	50.4						
La Crosse	2,419	32.9	21.4	45.8						
Lafayette	223	32.3	16.6	51.1						
Langlade C	489	33.1	21.1	45.8						
Lincoln Ct	464	38.6	18.8	42.7						
Manitowoc	1,620	33.0	18.3	48.7						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months							
	(3,4)	%	%	%							
Marathon C	2,906	34.8	20.2	45.0							
Marinette	1,010	31.8	18.6	49.6							
Marquette	262	43.1	16.4	40.5							
Menominee	561	25.8	23.2	51.0							
Milwaukee	39,352	32.8	20.7	46.5							
Monroe	1,090	33.9	19.8	46.2							
Oconto	684	35.5	20.3	44.2							
Oneida	615	39.8	19.7	40.5							
Outagamie	2,674	32.7	22.6	44.7							
Ozaukee	520	35.8	21.7	42.5							
Pepin	134	39.6	17.9	42.5							
Pierce	719	34.9	17.5	47.6							
Polk	1,031	32.7	20.3	47.0							
Portage	1,243	41.7	18.2	40.1							
Price	465	30.1	20.0	49.9							
Racine Cou	5,447	36.4	19.8	43.8							
Richland C	417	35.5	18.2	46.3							
Rock	4,289	36.9	19.6	43.5							

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution										
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months						
	(3,4) %		%	%						
Rusk	402	36.8	17.9	45.3						
Sauk	1,527	39.2	17.4	43.5						
Sawyer	599	28.5	21.2	50.3						
Shawano	979	26.1	21.5	52.4						
Sheboygan	2,482	29.8	22.0	48.3						
St. Croix	1,192	36.2	19.2	44.6						
Taylor	460	33.5	23.0	43.5						
Trempealea	736	33.7	20.9	45.4						
Vernon	736	32.7	20.1	47.1						
Vilas	644	30.3	19.4	50.3						
Walworth	2,125	34.3	18.2	47.5						
Washburn	421	32.8	20.0	47.3						
Washington	1,576	33.6	20.2	46.2						
Waukesha	2,504	38.8	20.4	40.8						
Waupaca	877	36.4	22.2	41.4						
Waushara C	500	38.0	19.0	43.0						
Winnebago	2,826	40.2	19.2	40.6						
Wood	1,561	34.0	21.6	44.5						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5B

2010 Pediatric Nutrition Surveillance (1) Wisconsin

Comparison of Age Distribution by County

Children Aged < 5 Years (2)

	Comparison of Age Distribution										
County	12 - 23 Months %	24 - 59 Months %									
Wisconsin	132,729	33.8	20.4	45.8							
Nation (Prior Year)	8,938,527	34.5	22.6	42.9							



Page:

Run Date:

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 10 Run Date: 4 / 14 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)									
	Low High				Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Adams Cty	98	* *	* *	576	5.6 (41)	2.4 (19)	13.2 (43)	297	21.9 (66)	11.8 (18)	465	4.7 (13)
Ashland	119	8.4 (41)	11.8 (53)	631	5.9 (49)	3.3 (44)	12.2 (27)	349	13.5 (7)	13.5 (32)	519	6.2 (26)
Barron	284	6.7 (17)	6.0 (9)	1,111	4.2 (17)	3.2 (41)	12.7 (34)	478	17.8 (46)	16.5 (53)	784	7.4 (32)
Bayfield C	69	* *	* *	352	3.1 (7)	6.5 (71)	12.8 (37)	180	26.1 (68)	15.6 (51)	284	10.2 (59)
Brown	1,553	7.3 (24)	7.0 (19)	6,762	6.0 (52)	2.5 (23)	15.9 (64)	3,269	19.1 (55)	18.8 (63)	5,214	5.9 (23)
Buffalo	60	* *	* *	299	2.7 (2)	3.3 (44)	7.0 (1)	151	19.2 (56)	8.6 (4)	226	6.2 (26)
Burnett	105	8.6 (42)	11.4 (52)	551	4.7 (22)	2.2 (13)	11.1 (18)	279	16.1 (31)	13.3 (30)	436	5.5 (20)
Calumet	150	6.0 (13)	8.7 (35)	695	6.3 (60)	2.7 (29)	10.1 (6)	334	16.5 (33)	12.6 (24)	536	5.4 (18)
Chippewa	299	7.7 (29)	6.4 (12)	1,354	5.8 (47)	2.7 (29)	12.0 (22)	639	17.1 (39)	11.1 (12)	1,038	11.3 (63)
Clark	152	5.9 (8)	9.2 (40)	780	4.6 (19)	4.1 (57)	11.9 (21)	376	13.6 (8)	16.2 (52)	589	11.5 (64)
Columbia	180	8.3 (38)	8.3 (31)	833	6.6 (67)	3.1 (38)	10.9 (16)	372	15.1 (17)	12.4 (21)	616	8.8 (44)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 11 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Crawford C	62	* *	* *	304	7.6 (70)	5.3 (66)	10.2 (7)	142	13.4 (6)	11.3 (13)	232	11.2 (62)
Dane	1,775	8.2 (36)	8.6 (32)	7,586	5.3 (32)	2.4 (19)	12.8 (37)	3,447	15.1 (17)	13.4 (31)	5,582	10.5 (60)
Dodge	321	10.3 (52)	5.9 (6)	1,363	6.1 (53)	4.0 (55)	12.0 (22)	628	9.7 (2)	9.9 (5)	1,007	4.9 (16)
Door	102	7.8 (30)	9.8 (44)	497	3.0 (6)	2.2 (13)	9.7 (5)	232	19.0 (54)	10.8 (11)	375	5.6 (22)
Douglas Ct	276	9.1 (44)	9.1 (38)	1,247	5.1 (27)	2.4 (19)	14.2 (52)	569	19.2 (56)	16.7 (54)	872	14.9 (68)
Dunn	218	6.0 (13)	11.0 (50)	873	6.3 (60)	4.1 (57)	12.4 (30)	395	17.7 (45)	12.4 (21)	624	3.2 (6)
Eau Claire	521	8.1 (35)	7.7 (28)	2,356	6.4 (64)	2.6 (26)	12.8 (37)	1,090	16.0 (29)	13.2 (29)	1,792	12.6 (67)
Florence	19	* *	* *	106	5.7 (44)	1.9 (10)	12.3 (29)	49	* *	* *	82	* *
Fond du La	443	9.9 (50)	7.2 (24)	2,080	5.0 (25)	3.4 (50)	10.4 (9)	983	13.9 (10)	10.5 (10)	1,620	6.7 (29)
Forest	84	* *	* *	339	2.9 (4)	3.8 (54)	17.4 (66)	169	11.2 (3)	20.7 (66)	235	8.9 (45)
Grant Cty	257	9.3 (46)	10.1 (46)	1,104	6.3 (60)	3.3 (44)	12.2 (27)	498	19.5 (59)	11.4 (14)	820	4.8 (15)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 12 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Green Cty	150	8.7 (43)	3.3 (1)	634	5.7 (44)	2.5 (23)	14.4 (56)	283	14.8 (14)	15.5 (49)	451	9.3 (49)
Green Lake	78	* *	* *	302	5.3 (32)	3.6 (52)	13.2 (43)	123	15.4 (21)	12.2 (20)	217	8.3 (42)
Iowa Cty	85	* *	* *	348	5.5 (36)	1.4 (4)	12.4 (30)	155	18.1 (47)	14.2 (38)	247	7.3 (31)
Iron Cty	21	* *	* *	107	5.6 (41)	4.7 (62)	10.3 (8)	45	* *	* *	86	* *
Jackson	135	5.9 (8)	11.1 (51)	669	6.1 (53)	2.1 (11)	14.8 (60)	339	19.8 (61)	15.0 (45)	486	7.6 (37)
Jefferson	384	7.0 (20)	8.6 (32)	1,768	4.0 (14)	3.3 (44)	10.5 (13)	804	18.2 (48)	14.2 (38)	1,335	4.7 (13)
Juneau	151	4.6 (4)	10.6 (49)	776	6.2 (58)	1.7 (7)	13.5 (46)	384	21.4 (64)	12.8 (26)	603	6.8 (30)
Kenosha	1,045	8.3 (38)	6.7 (17)	4,352	6.1 (53)	2.6 (26)	13.4 (45)	1,890	15.9 (28)	14.4 (42)	3,124	9.7 (55)
Kewaunee	69	* *	* *	347	3.5 (9)	1.4 (4)	20.5 (71)	166	19.9 (62)	20.5 (65)	269	10.0 (58)
La Crosse	587	7.2 (22)	7.3 (25)	2,373	6.4 (64)	5.6 (69)	11.7 (20)	1,097	17.2 (41)	13.1 (28)	1,764	8.9 (45)
Lafayette	44	* *	* *	222	5.0 (25)	1.8 (8)	14.9 (61)	112	19.6 (60)	17.9 (60)	175	8.0 (40)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 13 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	114	7.9 (32)	7.0 (19)	472	4.7 (22)	2.8 (32)	13.1 (42)	222	12.2 (4)	16.7 (54)	365	11.5 (64)
Lincoln Ct	115	9.6 (48)	6.1 (10)	454	5.9 (49)	1.3 (2)	16.5 (65)	192	15.6 (23)	16.7 (54)	343	9.9 (57)
Manitowoc	327	7.6 (27)	7.0 (19)	1,596	5.5 (36)	3.3 (44)	15.2 (63)	789	17.1 (39)	19.0 (64)	1,194	5.9 (23)
Marathon C	675	6.8 (18)	5.0 (3)	2,852	7.9 (71)	2.3 (15)	13.8 (49)	1,302	17.6 (44)	11.7 (16)	2,190	8.9 (45)
Marinette	212	7.5 (26)	9.4 (42)	991	3.7 (13)	8.3 (72)	9.2 (4)	494	8.1 (1)	5.9 (1)	748	2.3 (3)
Marquette	62	* *	* *	256	3.1 (7)	2.7 (29)	18.4 (67)	108	14.8 (14)	16.7 (54)	176	7.4 (32)
Menominee	118	5.9 (8)	13.6 (55)	549	2.7 (2)	0.9 (1)	20.2 (70)	277	24.2 (67)	20.9 (67)	422	3.8 (9)
Milwaukee	8,888	10.4 (54)	5.4 (4)	38,650	5.5 (36)	3.2 (41)	12.7 (34)	18,043	16.5 (33)	13.8 (36)	28,878	15.5 (69)
Monroe	224	8.0 (34)	8.0 (29)	1,076	5.9 (49)	1.3 (2)	18.5 (68)	495	15.8 (26)	18.0 (62)	804	3.9 (10)
Oconto	161	6.8 (18)	9.3 (41)	673	3.6 (11)	3.1 (38)	14.1 (50)	298	18.8 (53)	16.8 (58)	487	9.4 (52)
Oneida	156	11.5 (55)	7.1 (23)	610	6.7 (69)	2.8 (32)	7.5 (2)	246	13.0 (5)	8.1 (2)	428	1.4 (1)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A.	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Outagamie	674	8.3 (38)	7.3 (25)	2,593	3.6 (11)	5.2 (65)	10.7 (14)	1,187	17.4 (42)	13.6 (33)	1,742	5.5 (20)
Ozaukee	115	3.5 (2)	8.7 (35)	512	6.3 (60)	2.9 (36)	11.3 (19)	222	14.4 (12)	8.1 (2)	387	9.3 (49)
Pepin	20	* *	* *	132	1.5 (1)	2.3 (15)	14.4 (56)	54	* *	* *	99	* *
Pierce	171	7.0 (20)	9.4 (42)	705	5.1 (27)	1.8 (8)	12.9 (40)	332	15.1 (17)	11.7 (16)	522	11.9 (66)
Polk	215	7.4 (25)	12.1 (54)	1,013	3.5 (9)	4.1 (57)	10.4 (9)	477	13.6 (8)	10.1 (7)	766	7.4 (32)
Portage	316	7.9 (32)	6.6 (13)	1,222	4.9 (24)	3.6 (52)	11.0 (17)	488	14.5 (13)	10.2 (8)	876	2.7 (4)
Price	78	* *	* *	458	4.6 (19)	4.1 (57)	12.0 (22)	226	16.8 (36)	12.4 (21)	367	3.3 (7)
Racine Cou	1,274	8.2 (36)	5.9 (6)	5,326	5.7 (44)	3.3 (44)	12.7 (34)	2,380	16.0 (29)	12.7 (25)	4,002	9.6 (53)
Richland C	89	* *	* *	409	4.6 (19)	3.2 (41)	13.7 (48)	182	18.7 (51)	15.4 (47)	308	9.7 (55)
Rock	1,064	10.0 (51)	6.6 (13)	4,215	6.1 (53)	2.1 (11)	14.4 (56)	1,845	20.5 (63)	17.6 (59)	3,004	7.6 (37)
Rusk	85	* *	* *	395	5.1 (27)	5.3 (66)	12.9 (40)	180	19.4 (58)	15.0 (45)	297	8.1 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A.n.	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Sauk	370	5.9 (8)	8.6 (32)	1,495	4.1 (16)	2.5 (23)	14.1 (50)	644	18.6 (50)	17.9 (60)	1,077	3.1 (5)
Sawyer	119	5.9 (8)	10.1 (46)	591	2.9 (4)	4.7 (62)	14.4 (56)	282	15.6 (23)	14.2 (38)	459	8.7 (43)
Shawano	194	10.3 (52)	3.6 (2)	956	6.6 (67)	2.6 (26)	14.3 (54)	507	16.4 (32)	12.8 (26)	755	7.8 (39)
Sheboygan	587	7.2 (22)	8.9 (37)	2,410	5.8 (47)	5.9 (70)	12.4 (30)	1,181	17.5 (43)	14.5 (44)	1,824	4.3 (11)
St. Croix	283	6.4 (15)	10.2 (48)	1,173	5.4 (35)	3.1 (38)	10.4 (9)	534	16.7 (35)	14.2 (38)	841	6.1 (25)
Taylor	110	5.5 (7)	9.1 (38)	451	4.0 (14)	5.5 (68)	8.9 (3)	208	21.6 (65)	11.5 (15)	329	1.5 (2)
Trempealea	164	4.9 (5)	6.1 (10)	727	5.5 (36)	2.9 (36)	12.4 (30)	331	16.9 (38)	15.4 (47)	523	9.6 (53)
Vernon	146	2.7 (1)	7.5 (27)	725	5.1 (27)	2.3 (15)	12.1 (26)	333	16.8 (36)	14.4 (42)	545	5.0 (17)
Vilas	122	6.6 (16)	8.2 (30)	617	5.3 (32)	2.8 (32)	20.6 (72)	315	18.7 (51)	22.5 (68)	416	3.6 (8)
Walworth	461	9.1 (44)	5.9 (6)	2,081	6.4 (64)	2.8 (32)	14.3 (54)	974	15.8 (26)	15.5 (49)	1,581	8.9 (45)
Washburn	86	* *	* *	416	9.1 (72)	3.4 (50)	19.2 (69)	197	27.4 (69)	23.4 (69)	312	5.4 (18)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 4 / 14 / 11

			Comparis	on of Gr	owth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight			Ana	mia
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Ane Low H	Hb/Hct
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Washington	361	7.8 (30)	6.6 (13)	1,548	5.5 (36)	2.3 (15)	10.8 (15)	710	14.1 (11)	9.9 (5)	1,157	7.4 (32)
Waukesha	640	9.4 (47)	7.0 (19)	2,457	6.2 (58)	2.4 (19)	15.0 (62)	1,003	15.4 (21)	13.7 (35)	1,632	6.4 (28)
Waupaca	211	7.6 (27)	6.6 (13)	857	4.4 (18)	4.0 (55)	12.0 (22)	349	15.2 (20)	10.3 (9)	624	4.3 (11)
Waushara C	118	4.2 (3)	6.8 (18)	485	5.6 (41)	4.5 (61)	14.2 (52)	213	18.3 (49)	14.1 (37)	353	9.3 (49)
Winnebago	702	9.7 (49)	5.8 (5)	2,782	6.1 (53)	1.5 (6)	13.6 (47)	1,153	14.9 (16)	13.6 (33)	1,974	10.5 (60)
Wood	369	4.9 (5)	10.0 (45)	1,541	5.1 (27)	5.1 (64)	10.4 (9)	678	15.6 (23)	11.9 (19)	1,109	7.5 (36)
Wisconsin	30,092	8.6	7.0	130,168	5.5	3.1	13.0	59,975	16.6	14.1	96,621	10.0
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	5 16.4	14.7	5,524,196	14.9

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

4 / 14 / 11

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (6) (7) (8) % % % % Number % % % County Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 63 42 Adams Ctv 98 80 63 330 78.5 (64) 584 18.5 (72) 120 67 97 45 67 373 644 Ashland 71.7 (28) 88.5 (19) 7.8 (57) 287 119 136 106 119 519 1.121 Barron 72.5 (24) 27.7 (15) 8.1 (40) 19.8 (16) 5.9 (28) 82.3 (50) 4.7 (19) 25 69 51 35 203 Bayfield C 35 87.2 (27) 361 5.5 (23) Brown 1,576 68.4 (36) 703 23.9 (23) 1,055 11.8 (28) 519 16.4 (22) 700 9.1 (20) 3,487 80.0 (61) 6,910 6.6 (39) 60 18 Buffalo 26 42 26 154 94.2 (3) 301 7.3 (50) 106 91 42 54 250 555 Burnett 64.2 (46) 54 92.8 (4) 7.4 (51) 53 70 69 703 Calumet 150 77.3 (16) 112 13.4 (19) 363 82.6 (47) 6.0 (31) 301 96 695 Chippewa 72.1 (27) 140 20.7 (27) 201 10.0 (35) 140 7.1 (26) 85.6 (35) 1.369 5.6 (24) 166 149 80 12.6 (23) 80 413 788 Clark 77.9 (14) 111 88.1 (22) 5.1 (22) * * 92 * * 66 92 Columbia 179 77.1 (17) 108 22.2 (1) 392 84.4 (40) 845 6.7 (40) Crawford C 63 43 45 34 43 149 86.6 (28) 306 2.9 (3) 713 Dane 1.776 80.4 (7) 813 39.5 (1) 1.112 20.0 (2) 19.2 (17) 813 9.3 (19) 3.712 83.5 (43) 7.678 4.3 (14)

- (1) Reporting period is January 1 through December 31.
- TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

4 / 14 / 11

			Breastfe	eeding 6)				Exclu	sive B	reastfeedi (7)	ng	≤2 Hou Viewin (8)		Smok Hous	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Lea (3 Mor	t ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)	ļ <u>-</u>	(Ra			(Rank)		(Rank)		(Rank)
Dodge	319	83.4 (2)	134	35.8 (3)	197	17.8 (6)	118	34.7	(1)	134	11.2 (8)	675	90.7 (6)	1,378	5.0 (21)
Door	102	68.6 (35)	62	* *	83	* *	47	*	*	62	* *	247	83.4 (45)	497	4.4 (15)
Douglas Ct	275	74.5 (20)	130	29.2 (10)	207	8.7 (39)	117	28.2	(5)	130	15.4 (4)	613	80.4 (59)	1,260	6.5 (37)
Dunn	220	66.4 (41)	97	* *	106	12.3 (26)	87	*	*	97	* *	420	86.4 (31)	885	3.7 (9)
Eau Claire	520	72.5 (24)	252	24.2 (22)	375	10.7 (32)	190	24.2	(9)	252	9.1 (20)	1,178	89.1 (14)	2,394	4.1 (11)
Florence	19	* *	13	* *	24	* *	7	*	*	13	* *	52	* *	108	12.0 (67)
Fond du La	447	69.4 (34)	247	30.4 (9)	347	14.1 (15)	183	28.4	(4)	246	9.8 (14)	1,059	86.5 (30)	2,115	6.7 (40)
Forest	84	* *	23	* *	37	* *	31	*	*	23	* *	187	89.8 (11)	353	12.7 (69)
Grant Cty	258	70.5 (32)	125	23.2 (24)	134	14.9 (11)	97	*	*	123	9.8 (14)	546	85.2 (36)	1,118	7.1 (47)
Green Cty	152	78.9 (11)	66	* *	102	15.7 (10)	59	*	*	66	* *	298	92.6 (5)	647	9.3 (63)
Green Lake	81	* *	34	* *	49	* *	25	*	*	34	* *	137	84.7 (39)	309	6.8 (42)
Iowa Cty	85	* *	43	* *	47	* *	36	*	*	43	* *	168	88.1 (22)	357	4.2 (12)
Iron Cty	21	* *	13	* *	23	* *	9	*	*	13	* *	50	* *	107	6.5 (37)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

4 / 14 / 11

			Breastfe	-				Exclu	ısive B	reastfeed (7)	ling	<2 Hou Viewin		Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% stfed tt ast 3 nths	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jackson	134	80.6 (6)	65	* *	76	* *	58	*	*	65	* *	371	86.3 (32)	687	6.8 (42)
Jefferson	385	77.4 (15)	216	27.8 (14)	289	13.1 (21)	153	19.0	(18)	216	7.9 (24)	886	88.0 (24)	1,798	5.6 (24)
Juneau	152	79.6 (10)	82	* *	99	* *	69	*	*	81	* *	408	80.1 (60)	787	14.5 (70)
Kenosha	1,039	61.6 (51)	442	20.4 (28)	747	9.1 (38)	302	20.9	(13)	439	5.0 (30)	2,017	81.8 (53)	4,376	7.0 (45)
Kewaunee	69	* *	40	* *	52	* *	29	*	*	40	* *	188	69.1 (68)	357	6.2 (33)
La Crosse	581	65.1 (42)	252	25.8 (19)	336	13.1 (21)	207	23.2	(11)	252	11.9 (7)	1,175	87.5 (25)	2,415	3.5 (7)
Lafayette	44	* *	24	* *	23	* *	19	*	*	24	* *	118	81.4 (56)	223	3.6 (8)
Langlade C	114	68.4 (36)	45	* *	59	* *	42	*	*	45	* *	243	86.0 (33)	488	8.8 (61)
Lincoln Ct	115	59.1 (54)	54	* *	61	* *	44	*	*	54	* *	209	88.5 (19)	463	7.1 (47)
Manitowoc	326	62.9 (48)	148	27.0 (18)	219	14.6 (13)	118	20.3	(15)	148	15.5 (3)	838	76.7 (67)	1,609	7.0 (45)
Marathon C	677	59.8 (52)	348	20.4 (28)	380	10.8 (31)	259	20.5	(14)	348	9.8 (14)	1,387	82.5 (48)	2,893	4.2 (12)
Marinette	213	67.1 (39)	103	19.4 (30)	146	4.1 (41)	65	*	*	100	11.0 (9)	524	88.2 (21)	1,002	7.5 (52)
Marquette	62	* *	34	* *	35	* *	35	*	*	34	* *	116	78.4 (65)	262	14.9 (71)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

4 / 14 / 11

			Breastfe (eeding 6)				Exclu	sive B	reastfeedi (7)	ng	≤2 Hou Viewin (i)		Smoki House	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Le Mo	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
Managarina	110	(Rank)	50	(Rank) * *	0.4	(Rank)	50	*	nk) *	50	(Rank) * *	200	(Rank)	504	(Rank)
Menominee	118	72.9 (23)	53		81		53			53		303	94.4 (2)	561	7.8 (57)
Milwaukee	8,918	62.8 (49)	3,968	22.2 (25)	6,104	10.4 (33)	2,758	12.3	(24)	3,959	5.3 (29)	19,466	79.5 (63)	39,215	8.5 (60)
Monroe	226	70.8 (31)	110	29.1 (11)	158	13.9 (16)	77	*	*	109	10.1 (12)	537	82.7 (46)	1,085	7.9 (59)
Oconto	160	59.4 (53)	74	* *	109	9.2 (37)	44	*	*	74	* *	317	79.8 (62)	684	12.3 (68)
Oneida	156	66.7 (40)	70	* *	90	* *	42	*	*	70	* *	261	90.4 (9)	612	7.7 (54)
Outagamie	681	69.6 (33)	290	27.6 (16)	415	13.7 (17)	222	21.2	(12)	290	10.7 (11)	1,174	84.8 (37)	2,651	4.5 (18)
Ozaukee	114	80.7 (5)	67	* *	80	* *	65	*	*	66	* *	236	88.6 (17)	517	2.7 (2)
Pepin	20	* *	17	* *	24	* *	13	*	*	17	* *	59	* *	134	3.0 (5)
Pierce	172	73.3 (22)	70	* *	101	18.8 (5)	60	*	*	70	* *	364	95.3 (1)	716	5.6 (24)
Polk	213	81.2 (4)	136	31.6 (8)	145	14.5 (14)	109	26.6	(7)	136	14.0 (6)	508	82.5 (48)	1,028	5.8 (28)
Portage	313	72.2 (26)	145	25.5 (21)	172	19.8 (3)	121	19.0	(18)	142	9.9 (13)	535	88.8 (16)	1,238	3.7 (9)
Price	78	* *	47	* *	58	* *	35	*	*	47	* *	251	81.7 (55)	465	7.7 (54)
Racine Cou	1.275	63.7 (47)	558	21.1 (26)	683	12.0 (27)	388	10.3	(25)	555	6.1 (27)	2,570	87.4 (26)	5,420	9.6 (65)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

			Breastfe (6	•				Exclu	sive B	reastfeedi (7)	ng	≤2 Hou Viewin (i)		Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le		Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Richland C	88	* *	45	* *	65	* *	39	*	*	45	* *	204	83.8 (42)	414	6.0 (31)
Rock	1,069	64.7 (44)	424	27.4 (17)	634	13.2 (20)	324	15.1	(23)	423	7.6 (25)	1,983	80.6 (58)	4,254	6.2 (33)
Rusk	86	* *	40	* *	68	* *	35	*	*	40	* *	188	89.4 (12)	402	9.5 (64)
Sauk	369	83.5 (1)	173	35.8 (3)	209	17.7 (7)	167	28.1	(6)	173	11.0 (9)	704	86.6 (28)	1,525	9.0 (62)
Sawyer	119	75.6 (18)	47	* *	89	* *	38	*	*	47	* *	268	90.7 (6)	596	6.2 (33)
Shawano	194	61.9 (50)	83	* *	138	11.6 (29)	55	*	*	83	* *	551	84.8 (37)	977	7.7 (54)
Sheboygan	587	74.4 (21)	221	25.8 (19)	387	10.3 (34)	169	18.9	(20)	221	8.6 (23)	1,257	83.5 (43)	2,479	4.4 (15)
St. Croix	282	79.8 (9)	114	34.2 (6)	159	12.6 (23)	96	*	*	114	15.8 (2)	568	84.2 (41)	1,181	3.4 (6)
Taylor	109	78.0 (13)	52	* *	62	* *	34	*	*	52	* *	214	77.1 (66)	460	7.6 (53)
Trempealea	164	79.9 (8)	63	* *	107	16.8 (9)	54	*	*	63	* *	359	89.4 (12)	736	2.9 (3)
Vernon	146	75.3 (19)	67	* *	110	19.1 (4)	53	*	*	67	* *	374	81.8 (53)	736	4.9 (20)
Vilas	122	58.2 (55)	48	* *	86	* *	39	*	*	48	* *	337	89.0 (15)	632	7.1 (47)
Walworth	464	82.1 (3)	216	35.2 (5)	261	14.9 (11)	192	29.7	(3)	216	9.7 (17)	1,063	85.8 (34)	2,114	5.8 (28)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 4 / 14 / 11 Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	•				Exclus	sive B	reastfeedir	ng	≤2 Hou Viewin		Smokin Housel	•
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	97 Breas At Lea 3 Mon (Rai	stfed t ast ths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washburn	86	* *	54	* *	59	* *	39	*	*	54	* *	209	68.4 (69)	421	2.6 (1)
Washington	359	78.3 (12)	153	32.7 (7)	222	17.1 (8)	136	26.5	(8)	153	14.4 (5)	763	90.3 (10)	1,569	6.4 (36)
Waukesha	644	71.1 (30)	296	28.7 (12)	358	12.6 (23)	251	18.7	(21)	295	8.8 (22)	1,082	82.2 (51)	2,481	5.6 (24)
Waupaca	210	64.3 (45)	99	* *	138	9.4 (36)	76	*	*	98	* *	383	90.6 (8)	870	5.9 (30)
Waushara C	120	65.0 (43)	56	* *	87	* *	48	*	*	56	* *	227	81.1 (57)	492	9.6 (65)
Winnebago	700	71.3 (29)	299	28.1 (13)	402	10.9 (30)	245	23.7	(10)	299	9.7 (17)	1,207	82.2 (51)	2,821	4.4 (15)
Wood	370	68.1 (38)	163	36.8 (2)	221	13.6 (18)	138	34.1	(2)	163	21.5 (1)	739	88.6 (17)	1,557	6.8 (42)
Wisconsin	30,160	68.5	13,715	26.4	19,576	12.4	10,446	19.	5	13,681	8.8	64,411	83.0	132,096	6.9
Nation (Prior Year)	1,769,1	60 61.7	911,779	27.0	1,092,5	73 18.5	317,037	7 9.9	9	420,655	5 5.3	1,022,933	77.3	4,355,723	10.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 23 Run Date: 4 / 14 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Adams Cty	363	9.4 (60)	13.5 (67)	1,744	6.2 (60)	2.5 (19)	14.3 (51)	860	18.3 (55)	13.0 (27)	1,350	5.9 (24)
Ashland	385	6.0 (10)	9.4 (49)	1,959	5.4 (33)	3.1 (37)	13.0 (33)	1,013	14.5 (11)	13.3 (32)	1,570	7.6 (34)
Barron	817	6.9 (19)	8.7 (35)	3,398	4.4 (17)	3.1 (37)	12.2 (25)	1,476	17.0 (36)	14.8 (46)	2,457	8.9 (46)
Bayfield C	232	4.3 (2)	12.9 (66)	1,075	3.0 (2)	4.7 (66)	13.8 (41)	524	19.5 (63)	17.7 (67)	831	8.1 (39)
Brown	4,794	7.2 (27)	8.2 (29)	20,060	5.2 (30)	3.4 (46)	14.5 (56)	9,387	16.0 (24)	16.2 (56)	15,217	6.3 (27)
Buffalo	187	10.2 (67)	6.4 (7)	846	3.4 (5)	3.4 (46)	9.1 (4)	400	16.5 (28)	11.3 (9)	632	9.0 (47)
Burnett	356	5.9 (9)	10.4 (59)	1,666	4.5 (19)	2.4 (14)	13.1 (35)	810	16.8 (33)	14.0 (39)	1,292	5.0 (15)
Calumet	448	7.6 (35)	7.6 (19)	2,012	6.3 (63)	4.0 (59)	11.0 (12)	953	17.0 (36)	13.7 (38)	1,536	4.9 (14)
Chippewa	955	7.4 (33)	7.4 (16)	4,166	6.5 (66)	2.4 (14)	12.2 (25)	1,955	17.4 (44)	11.8 (14)	3,160	11.1 (62)
Clark	516	7.9 (44)	8.9 (40)	2,394	4.9 (24)	3.1 (37)	12.2 (25)	1,139	17.2 (41)	12.6 (24)	1,782	13.1 (69)
Columbia	606	7.8 (40)	9.4 (49)	2,555	5.9 (51)	3.5 (49)	10.1 (7)	1,097	16.9 (34)	11.9 (15)	1,847	8.4 (41)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 24 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٠	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Crawford C	225	8.9 (53)	9.3 (47)	949	6.2 (60)	3.8 (57)	10.1 (7)	429	14.2 (8)	12.1 (19)	698	10.9 (60)
Dane	5,492	7.3 (30)	8.6 (32)	22,352	4.9 (24)	2.5 (19)	12.8 (32)	9,906	14.6 (13)	12.3 (21)	16,302	11.0 (61)
Dodge	980	7.7 (38)	7.3 (13)	4,081	5.5 (36)	4.3 (63)	11.1 (13)	1,860	10.9 (2)	8.5 (3)	3,000	5.3 (18)
Door	356	8.1 (48)	8.7 (35)	1,491	3.6 (8)	4.2 (62)	8.8 (2)	692	17.5 (45)	12.1 (19)	1,088	4.4 (13)
Douglas Ct	857	6.9 (19)	11.1 (62)	3,744	4.5 (19)	2.8 (29)	14.1 (49)	1,648	20.0 (65)	16.3 (57)	2,587	14.2 (70)
Dunn	617	6.8 (17)	9.9 (54)	2,707	5.9 (51)	3.5 (49)	11.9 (22)	1,270	18.0 (49)	12.0 (18)	2,000	3.8 (8)
Eau Claire	1,660	6.4 (14)	9.3 (47)	7,178	6.0 (56)	2.8 (29)	12.1 (23)	3,266	17.0 (36)	13.0 (27)	5,293	12.5 (65)
Florence	77	* *	* *	342	7.9 (71)	2.6 (22)	11.1 (13)	160	15.0 (14)	11.9 (15)	236	5.5 (20)
Fond du La	1,398	10.2 (67)	7.6 (19)	6,040	6.5 (66)	3.3 (43)	10.1 (7)	2,838	13.9 (6)	10.0 (4)	4,589	7.6 (34)
Forest	217	9.7 (64)	11.5 (64)	1,003	3.2 (4)	3.6 (52)	17.0 (68)	504	14.1 (7)	20.0 (70)	741	10.5 (57)
Grant Cty	778	7.2 (27)	10.2 (57)	3,560	5.1 (28)	3.6 (52)	11.3 (15)	1,655	15.5 (18)	11.4 (12)	2,728	4.0 (11)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 25 Run Date: 4 / 14 / 11

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			٨٠	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		> 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Green Cty	458	9.0 (55)	8.1 (27)	1,941	7.1 (69)	2.6 (22)	16.3 (66)	870	19.4 (62)	19.9 (69)	1,385	10.6 (58)
Green Lake	226	8.0 (46)	8.0 (25)	926	3.5 (7)	3.5 (49)	13.6 (40)	391	13.6 (5)	13.3 (32)	659	7.6 (34)
Iowa Cty	280	8.9 (53)	5.7 (4)	1,063	5.9 (51)	1.9 (7)	13.9 (43)	441	18.8 (60)	14.5 (44)	753	9.6 (51)
Iron Cty	72	* *	* *	290	5.5 (36)	6.6 (71)	12.1 (23)	130	22.3 (69)	12.3 (21)	213	9.9 (52)
Jackson	415	4.6 (5)	12.5 (65)	2,032	6.1 (59)	1.9 (7)	14.0 (46)	1,013	21.3 (67)	15.3 (50)	1,479	8.5 (42)
Jefferson	1,226	6.1 (11)	9.2 (45)	5,286	4.2 (14)	3.2 (42)	11.8 (21)	2,391	18.2 (52)	14.3 (43)	3,921	5.0 (15)
Juneau	479	6.9 (19)	9.2 (45)	2,250	5.6 (39)	1.9 (7)	14.8 (60)	1,079	17.5 (45)	14.1 (40)	1,712	6.8 (28)
Kenosha	3,316	9.2 (58)	7.0 (12)	12,805	7.4 (70)	2.1 (12)	14.7 (58)	5,391	16.2 (25)	13.1 (31)	9,030	11.4 (63)
Kewaunee	229	7.9 (44)	7.9 (24)	1,018	4.2 (14)	1.8 (5)	17.7 (69)	474	21.5 (68)	16.0 (55)	762	12.7 (67)
La Crosse	1,774	7.7 (38)	8.5 (31)	7,135	6.3 (63)	4.4 (64)	11.6 (19)	3,273	18.5 (58)	12.4 (23)	5,316	6.9 (30)
Lafayette	137	4.4 (4)	8.0 (25)	674	6.5 (66)	1.6 (2)	14.5 (56)	322	23.9 (71)	17.1 (61)	513	8.6 (45)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 26 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸.,	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Langlade C	323	8.4 (50)	7.4 (16)	1,443	4.7 (21)	2.4 (14)	12.6 (31)	677	16.7 (31)	17.1 (61)	1,134	16.7 (71)
Lincoln Ct	351	6.3 (12)	9.1 (43)	1,395	5.9 (51)	1.6 (2)	15.1 (64)	610	18.2 (52)	16.6 (59)	1,044	9.1 (48)
Manitowoc	1,109	9.2 (58)	7.3 (13)	4,973	4.9 (24)	3.4 (46)	14.3 (51)	2,312	17.9 (48)	17.6 (66)	3,624	7.1 (32)
Marathon C	2,010	6.7 (16)	5.4 (2)	8,368	8.3 (72)	1.8 (5)	14.1 (49)	3,787	17.2 (41)	12.9 (25)	6,367	7.8 (37)
Marinette	654	7.8 (40)	8.6 (32)	3,088	4.2 (14)	7.7 (72)	8.9 (3)	1,511	8.7 (1)	4.9 (1)	2,344	3.3 (4)
Marquette	179	7.8 (40)	4.5 (1)	754	4.1 (13)	2.8 (29)	18.3 (70)	331	18.1 (50)	15.7 (53)	527	5.7 (22)
Menominee	370	4.3 (2)	14.6 (68)	1,672	2.5 (1)	1.2 (1)	20.9 (72)	823	24.4 (72)	20.2 (71)	1,287	4.0 (11)
Milwaukee	28,076	10.2 (67)	5.8 (5)	115,601	5.8 (49)	3.6 (52)	13.2 (36)	52,488	16.7 (31)	14.2 (41)	84,790	17.0 (72)
Monroe	757	7.3 (30)	9.1 (43)	3,339	5.6 (39)	1.6 (2)	15.6 (65)	1,470	16.3 (26)	14.8 (46)	2,438	5.4 (19)
Oconto	471	6.8 (17)	9.6 (52)	1,969	4.0 (11)	2.0 (10)	14.8 (60)	868	18.3 (55)	17.5 (65)	1,433	6.8 (28)
Oneida	465	9.5 (61)	9.0 (41)	1,816	5.7 (43)	4.4 (64)	8.6 (1)	753	12.2 (3)	11.3 (9)	1,261	3.5 (5)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 27 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	ema Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Outagamie	2,039	8.5 (51)	6.5 (8)	7,771	3.9 (10)	5.2 (68)	11.3 (15)	3,549	18.2 (52)	13.0 (27)	5,172	7.3 (33)
Ozaukee	377	5.6 (7)	11.1 (62)	1,511	6.2 (60)	2.8 (29)	11.3 (15)	655	13.0 (4)	7.2 (2)	1,105	9.9 (52)
Pepin	94	* *	* *	450	3.1 (3)	3.6 (52)	12.4 (29)	209	14.4 (10)	14.8 (46)	332	12.0 (64)
Pierce	472	7.6 (35)	9.5 (51)	2,156	5.9 (51)	2.0 (10)	13.5 (39)	1,028	17.3 (43)	11.9 (15)	1,637	12.6 (66)
Polk	720	7.8 (40)	9.0 (41)	3,005	3.7 (9)	3.8 (57)	10.0 (6)	1,354	14.3 (9)	10.2 (5)	2,227	8.5 (42)
Portage	914	8.3 (49)	7.4 (16)	3,641	5.7 (43)	3.0 (36)	10.8 (10)	1,529	14.5 (11)	10.3 (6)	2,628	3.6 (7)
Price	251	7.2 (27)	8.8 (38)	1,412	4.0 (11)	3.1 (37)	13.0 (33)	717	18.5 (58)	13.4 (35)	1,138	3.0 (2)
Racine Cou	4,103	9.6 (62)	6.2 (6)	16,160	5.5 (36)	3.1 (37)	13.3 (37)	7,042	15.7 (21)	12.9 (25)	12,005	10.4 (55)
Richland C	284	4.2 (1)	15.8 (69)	1,238	5.7 (43)	2.9 (33)	14.7 (58)	553	21.0 (66)	17.4 (64)	908	12.7 (67)
Rock	3,155	8.8 (52)	6.8 (11)	12,531	5.1 (28)	2.9 (33)	14.0 (46)	5,413	18.1 (50)	15.4 (51)	8,893	8.2 (40)
Rusk	266	7.1 (24)	10.9 (61)	1,220	4.7 (21)	4.0 (59)	14.3 (51)	561	22.5 (70)	16.6 (59)	908	5.8 (23)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 28 Run Date: 4 / 14 / 11

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Sauk	1,087	5.2 (6)	9.8 (53)	4,361	5.0 (27)	2.2 (13)	14.8 (60)	1,867	18.9 (61)	17.3 (63)	3,170	3.2 (3)
Sawyer	396	6.6 (15)	10.1 (56)	1,875	3.4 (5)	3.3 (43)	14.0 (46)	890	17.8 (47)	15.5 (52)	1,434	8.5 (42)
Shawano	608	9.0 (55)	5.4 (2)	2,878	5.8 (49)	2.5 (19)	14.3 (51)	1,455	15.2 (15)	13.6 (37)	2,270	7.8 (37)
Sheboygan	1,721	8.0 (46)	8.1 (27)	7,222	5.7 (43)	5.6 (70)	12.3 (28)	3,436	16.6 (30)	14.2 (41)	5,428	3.9 (9)
St. Croix	837	6.3 (12)	8.7 (35)	3,583	5.4 (33)	2.6 (22)	10.8 (10)	1,634	17.1 (39)	13.3 (32)	2,614	5.5 (20)
Taylor	343	9.9 (66)	10.2 (57)	1,360	4.4 (17)	5.1 (67)	9.7 (5)	603	16.3 (26)	11.3 (9)	1,009	2.3 (1)
Trempealea	546	7.3 (30)	7.7 (22)	2,253	4.7 (21)	2.6 (22)	16.8 (67)	976	16.9 (34)	17.8 (68)	1,596	10.8 (59)
Vernon	489	7.0 (22)	8.8 (38)	2,240	5.7 (43)	2.4 (14)	12.5 (30)	1,028	17.1 (39)	14.6 (45)	1,635	5.1 (17)
Vilas	369	7.6 (35)	10.0 (55)	1,739	5.3 (32)	2.9 (33)	19.8 (71)	849	18.3 (55)	21.3 (72)	1,236	3.5 (5)
Walworth	1,473	7.0 (22)	7.3 (13)	6,341	5.6 (39)	2.6 (22)	13.8 (41)	2,833	15.6 (19)	15.0 (49)	4,725	9.5 (50)
Washburn	274	5.8 (8)	7.7 (22)	1,309	6.3 (63)	5.5 (69)	13.9 (43)	622	15.9 (22)	16.4 (58)	986	6.0 (25)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 29 Run Date: 4 / 14 / 11

			Comparis	on of Gr	owth ar	nd Aner	mia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low I	emia Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)
Washington	1,161	7.1 (24)	6.5 (8)	4,686	5.6 (39)	2.6 (22)	11.4 (18)	2,087	15.2 (15)	10.3 (6)	3,415	9.3 (49)
Waukesha	1,945	9.1 (57)	7.6 (19)	7,346	5.4 (33)	2.7 (28)	14.4 (55)	2,979	16.5 (28)	13.5 (36)	4,798	6.1 (26)
Waupaca	680	9.6 (62)	8.4 (30)	2,588	5.7 (43)	3.6 (52)	13.4 (38)	1,048	15.3 (17)	11.2 (8)	1,843	3.9 (9)
Waushara C	353	7.1 (24)	10.5 (60)	1,460	6.0 (56)	3.3 (43)	14.8 (60)	647	19.5 (63)	15.9 (54)	1,050	9.9 (52)
Winnebago	2,143	9.8 (65)	6.6 (10)	8,218	6.0 (56)	2.4 (14)	13.9 (43)	3,395	15.9 (22)	13.0 (27)	5,795	10.4 (55)
Wood	1,213	7.4 (33)	8.6 (32)	4,612	5.2 (30)	4.0 (59)	11.6 (19)	1,924	15.6 (19)	11.6 (13)	3,187	7.0 (31)
Wisconsin	94,006	8.5	7.4	390,326	5.6	3.2	13.1	176,130	16.6	13.8	286,072	10.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

4 / 14 / 11

Page:

Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed	ing	≤2 Hou Viewin			ing in ehold
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le ; Moi	ast 3	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Adams Cty	389	64.5 (54)	289	16.6 (62)	305	9.8 (53)	280	•	(44)	286	6.3 (53)	933	76.0 (69)	883	20.0 (72)
Ashland	413	68.8 (42)	338	32.8 (4)	365	20.0 (3)	312	26.6	(2)	331	17.8 (1)	1,099	88.1 (15)	1,016	8.7 (49)
Barron	912	72.4 (25)	604	22.7 (36)	586	8.4 (60)	620	17.6	(28)	596	6.4 (51)	1,594	83.3 (47)	1,906	6.6 (24)
Bayfield C	251	72.5 (23)	183	36.1 (2)	182	21.4 (2)	168	27.4	(1)	178	17.4 (2)	586	86.9 (24)	556	5.6 (16)
Brown	5,157	66.0 (49)	3,578	20.3 (52)	3,719	10.1 (51)	3,278	11.6	(60)	3,379	6.5 (50)	10,061	79.2 (61)	11,090	8.3 (46)
Buffalo	208	76.9 (9)	142	21.8 (44)	152	10.5 (48)	133	18.8	(24)	135	14.1 (5)	419	90.7 (9)	482	7.7 (36)
Burnett	378	66.7 (48)	281	15.3 (65)	282	7.1 (66)	270	16.3	(34)	273	4.4 (66)	756	95.1 (1)	871	10.3 (60)
Calumet	515	70.1 (34)	361	27.1 (19)	361	13.3 (21)	342	22.5	(14)	346	11.8 (13)	1,038	78.9 (62)	1,146	6.5 (23)
Chippewa	1,038	69.8 (36)	697	20.4 (51)	745	9.5 (54)	617	17.0	(33)	634	7.4 (39)	2,122	86.5 (27)	2,292	7.6 (34)
Clark	558	76.5 (10)	396	27.3 (18)	388	11.6 (34)	377	15.1	(41)	384	7.0 (45)	1,254	87.2 (22)	1,302	6.6 (24)
Columbia	666	74.6 (18)	447	25.7 (24)	421	15.0 (14)	407	18.4	(26)	416	7.2 (41)	1,167	82.6 (49)	1,451	7.9 (41)
Crawford C	248	64.1 (55)	171	21.1 (47)	161	7.5 (65)	169	16.0	(38)	167	5.4 (58)	451	85.8 (32)	512	4.5 (6)
Dane	6,035	79.4 (3)	4,142	38.0 (1)	4,120	22.8 (1)	3,997	17.1	(31)	3,971	9.8 (20)	10,660	83.9 (44)	12,659	5.1 (10)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

Page: Run Date: 4 /

4 / 14 / 11

			Breastfe (eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin (8)		Smoki House	•
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Numbe	Brea A Le Mo	% astfed at ast ast anths	Number	Breastfed At Least 6 Months	Number	% (D1)	Number	% (Darle)
Dadaa	4.074	(Rank)	705	(Rank)	700	(Rank)	700		ank)	000	(Rank)	0.004	(Rank)	0.000	(Rank)
Dodge	1,071	80.4 (2)	705	31.1 (9)	708	16.8 (8)	700	26.6	(2)	693	13.7 (7)	2,001	91.4 (7)	2,338	5.8 (17)
Door	374	70.1 (34)	266	28.6 (13)	270	12.6 (27)	254	22.8	(13)	266	7.5 (37)	736	84.1 (42)	802	5.4 (14)
Douglas Ct	952	71.0 (31)	696	22.4 (40)	718	11.0 (42)	696	20.7	(19)	689	13.2 (11)	1,798	82.4 (53)	2,083	7.7 (36)
Dunn	672	68.9 (41)	448	24.8 (28)	426	11.7 (30)	438	19.6	(21)	444	10.4 (17)	1,364	86.3 (28)	1,510	4.6 (7)
Eau Claire	1,785	71.7 (29)	1,298	21.8 (44)	1,296	10.6 (47)	1,229	16.3	(34)	1,268	7.1 (43)	3,527	86.3 (28)	3,893	4.7 (8)
Florence	82	* *	62	* *	56	* *	60	*	*	59	* *	172	91.9 (6)	201	10.9 (64)
Fond du La	1,541	68.5 (44)	1,100	23.9 (29)	1,130	11.6 (34)	1,072	19.6	(21)	1,082	7.2 (41)	3,060	87.4 (21)	3,388	7.1 (29)
Forest	237	58.6 (68)	147	12.9 (69)	160	1.9 (69)	144	9.7	(64)	144	5.6 (57)	564	84.4 (39)	552	14.5 (70)
Grant Cty	861	65.2 (51)	609	22.3 (42)	583	11.7 (30)	535	17.4	(29)	540	9.3 (25)	1,792	77.5 (65)	1,974	7.7 (36)
Green Cty	515	69.7 (37)	343	22.2 (43)	341	12.0 (29)	334	16.2	(36)	340	5.3 (59)	948	90.0 (11)	1,136	10.8 (63)
Green Lake	254	59.1 (66)	169	23.1 (34)	169	8.9 (58)	155	11.0	(62)	155	7.7 (36)	427	79.9 (59)	535	9.7 (57)
Iowa Cty	295	72.5 (23)	204	25.0 (26)	197	11.7 (30)	196	12.8	(53)	192	5.7 (56)	480	87.9 (17)	589	7.3 (31)
Iron Cty	82	* *	61	* *	58	* *	61	*	*	59	* *	140	92.1 (4)	172	8.1 (45)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date: 4 / 14 / 11

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	j, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin		Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% ustfed at ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
To do a constant	455		0.40		200		004	•		007		4.400		4 000	
Jackson	455	76.5 (10)	343	22.7 (36)	339	13.6 (20)	321	17.4	(29)	327	10.4 (17)	1,102	85.6 (34)	1,093	8.3 (46)
Jefferson	1,332	73.3 (21)	975	25.5 (25)	953	13.0 (24)	905	13.3	(49)	922	6.0 (55)	2,597	87.9 (17)	2,961	7.1 (29)
Juneau	513	74.7 (17)	399	20.6 (48)	400	8.0 (62)	387	18.9	(23)	392	8.7 (30)	1,159	77.0 (68)	1,191	16.5 (71)
Kenosha	3,559	60.9 (62)	2,278	19.1 (58)	2,385	9.9 (52)	2,124	9.5	(66)	2,154	3.9 (67)	5,791	81.6 (58)	7,249	8.4 (48)
Kewaunee	251	73.7 (20)	175	20.6 (48)	165	12.1 (28)	173	22.0	(16)	169	8.9 (29)	524	67.6 (72)	565	6.2 (19)
La Crosse	1,889	68.4 (45)	1,256	23.7 (31)	1,223	13.1 (23)	1,137	18.8	(24)	1,133	11.2 (14)	3,517	87.6 (20)	4,099	3.4 (2)
Lafayette	162	67.9 (46)	112	25.0 (26)	104	11.5 (36)	106	11.3	(61)	109	3.7 (69)	337	86.1 (30)	361	6.1 (18)
Langlade C	343	65.3 (50)	247	15.8 (63)	238	7.6 (64)	220	12.3	(57)	224	6.7 (48)	736	85.2 (36)	794	12.7 (69)
Lincoln Ct	377	60.7 (64)	252	15.1 (66)	230	7.8 (63)	227	11.9	(58)	231	5.2 (60)	661	87.0 (23)	790	11.3 (65)
Manitowoc	1,184	64.0 (56)	846	23.5 (32)	893	12.9 (26)	809	18.3	(27)	827	10.4 (17)	2,476	77.5 (65)	2,676	7.6 (34)
Marathon C	2,170	60.6 (65)	1,549	18.9 (59)	1,403	9.4 (55)	1,414	14.3	(46)	1,465	7.5 (37)	4,097	82.6 (49)	4,669	5.4 (14)
Marinette	703	58.2 (70)	495	14.7 (67)	516	4.5 (68)	445	13.0	(52)	469	7.0 (45)	1,635	87.7 (19)	1,694	9.9 (58)
Marquette	210	61.4 (59)	132	25.8 (23)	124	17.7 (5)	129	12.4	(56)	122	10.7 (15)	352	75.3 (70)	446	12.3 (67)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

(2)

4 / 14 / 11

Page:

Run Date:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	j, an	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewing (8)		Smok Hous	ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Numbei	Brea A Le Mo	% astfed At east 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Menominee	388	70.9 (32)	308	20.5 (50)	331	10.3 (49)	279	9.7	(64)	291	4.5 (65)	892	92.0 (5)	888	7.3 (31)
Milwaukee	29,703	63.1 (58)	20,507	19.9 (55)	21,517	11.1 (39)	19,011	7.9	(69)	19,854	3.9 (67)	56,792	78.6 (63)	62,532	10.1 (59)
Monroe	829	70.7 (33)	571	23.3 (33)	593	14.5 (15)	539	13.5	(48)	551	8.7 (30)	1,590	84.5 (38)	1,846	9.5 (54)
Oconto	502	61.2 (60)	346	13.6 (68)	348	6.6 (67)	322	10.6	(63)	339	4.7 (64)	949	77.9 (64)	1,072	12.0 (66)
Oneida	506	67.4 (47)	334	19.2 (57)	307	9.4 (55)	318	14.2	(47)	329	4.9 (63)	798	91.2 (8)	1,057	7.9 (41)
Outagamie	2,205	69.2 (39)	1,392	22.4 (40)	1,383	11.1 (39)	1,392	15.4	(39)	1,372	7.0 (45)	3,686	84.3 (41)	4,540	5.1 (10)
Ozaukee	434	78.6 (5)	294	33.0 (3)	273	17.2 (7)	305	23.0	(11)	289	9.0 (28)	696	86.8 (25)	898	5.0 (9)
Pepin	105	72.4 (25)	72	* *	70	* *	71	*	*	70	* *	220	94.5 (2)	255	9.0 (51)
Pierce	511	73.0 (22)	359	26.2 (21)	363	13.2 (22)	342	24.3	(7)	353	13.6 (10)	1,112	92.5 (3)	1,206	7.9 (41)
Polk	792	78.3 (6)	573	27.1 (19)	543	11.0 (42)	573	24.8	(6)	556	9.5 (22)	1,448	82.1 (54)	1,696	7.0 (27)
Portage	969	75.0 (14)	640	25.9 (22)	582	13.7 (18)	615	15.1	(41)	618	8.1 (35)	1,667	89.9 (12)	2,049	4.4 (5)
Price	286	74.8 (16)	228	28.9 (12)	226	15.9 (9)	191	23.0	(11)	200	16.0 (3)	782	81.8 (57)	739	8.0 (44)
Racine Cou	4,309	60.8 (63)	2,849	19.9 (55)	2,761	11.5 (36)	2,708	9.0	(68)	2,791	5.0 (61)	7,685	84.0 (43)	9,067	10.3 (60)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $\ ^{(3)}$

Page: Run Date: 4 /

4 / 14 / 11

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	l Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeedii	ng	≤2 Hou Viewing (8)		Smoki House	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas Ar Lea 3 Mor	stfed t ast	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Richland C	315	79.4 (3)	232	32.3 (5)	224	14.3 (17)	214	22.0	(16)	219	9.1 (27)	598	84.8 (37)	674	5.3 (13)
Rock	3,392	58.3 (69)	2,183	20.1 (54)	2,237	11.7 (30)	2,096	9.4	(67)	2,130	5.0 (61)	5,836	82.1 (54)	7,057	7.7 (36)
Rusk	287	68.6 (43)	207	15.5 (64)	222	8.1 (61)	170	11.8	(59)	175	9.7 (21)	600	85.8 (32)	670	12.5 (68)
Sauk	1,199	80.5 (1)	846	31.4 (8)	769	17.3 (6)	839	23.5	(10)	821	9.3 (25)	2,033	82.0 (56)	2,507	9.3 (52)
Sawyer	422	72.3 (27)	325	18.8 (60)	342	9.1 (57)	304	16.1	(37)	311	7.4 (39)	872	88.0 (16)	1,002	7.3 (31)
Shawano	636	63.2 (57)	468	17.3 (61)	503	10.3 (49)	426	12.7	(54)	451	8.2 (34)	1,581	86.8 (25)	1,545	8.8 (50)
Sheboygan	1,882	69.3 (38)	1,275	23.9 (29)	1,355	13.0 (24)	1,217	12.7	(54)	1,233	6.4 (51)	3,679	83.6 (46)	4,074	6.7 (26)
St. Croix	932	77.6 (8)	630	27.8 (16)	598	15.6 (11)	599	25.5	(5)	613	13.7 (7)	1,734	82.5 (51)	2,075	4.0 (4)
Taylor	367	74.1 (19)	246	28.5 (14)	243	11.1 (39)	232	23.7	(9)	235	14.9 (4)	643	79.5 (60)	775	9.5 (54)
Trempealea	578	72.1 (28)	418	30.1 (10)	418	14.4 (16)	398	13.3	(49)	394	7.1 (43)	1,078	90.4 (10)	1,295	3.3 (1)
Vernon	528	75.0 (14)	378	29.6 (11)	407	17.9 (4)	359	24.0	(8)	364	14.0 (6)	1,127	83.9 (44)	1,190	7.0 (27)
Vilas	412	61.2 (60)	299	21.7 (46)	308	11.4 (38)	275	17.1	(31)	286	10.5 (16)	927	84.4 (39)	930	9.4 (53)
Walworth	1,604	78.3 (6)	1,156	32.1 (6)	1,064	15.7 (10)	1,098	21.8	(18)	1,119	8.5 (32)	3,071	85.6 (34)	3,540	6.4 (21)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Wisconsin

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

4 / 14 / 11

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	յ, and	Sm	oking i	n Housel	nold (4,	5)		
			Breastfe (6	•				Exclus	sive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smok Hous	•
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas At Lea 3 Mon	stfed : ast	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rai	nk)		(Rank)		(Rank)		(Rank)
Washburn	302	75.8 (12)	232	31.9 (7)	227	13.7 (18)	200	26.0	(4)	205	13.7 (7)	668	67.8 (71)	698	3.4 (2)
Washington	1,256	75.2 (13)	812	28.2 (15)	827	15.1 (13)	805	22.2	(15)	797	9.5 (22)	2,243	88.9 (13)	2,682	6.2 (19)
Waukesha	2,162	71.4 (30)	1,356	27.5 (17)	1,244	15.3 (12)	1,369	14.4	(45)	1,343	6.6 (49)	3,209	83.0 (48)	4,378	6.4 (21)
Waupaca	734	64.9 (52)	485	22.5 (39)	491	11.0 (42)	468	15.4	(39)	468	9.4 (24)	1,142	88.7 (14)	1,522	10.4 (62)
Waushara C	392	64.8 (53)	268	23.1 (34)	272	10.7 (46)	255	13.3	(49)	253	8.3 (33)	689	77.5 (65)	853	9.6 (56)
Winnebago	2,356	69.0 (40)	1,510	20.3 (52)	1,435	8.9 (58)	1,515	14.9	(43)	1,494	6.1 (54)	3,613	82.5 (51)	4,753	5.2 (12)
Wood	1,321	59.1 (66)	873	22.7 (36)	834	10.9 (45)	855	20.6	(20)	829	13.0 (12)	2,091	86.0 (31)	2,642	7.8 (40)
Wisconsin	101,253	67.3	69,468	23.0	70,189	12.2	65,601	13.6	6	66,924	6.8	189,884	82.4	216,634	8.1



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.